CORTE SUPREMA DE JUSTICIA

Compromiso con la gente

**CIRCUNSCRIPCIÓN JUDICIAL DE AMAMBAY**
Patrimonio y Suministro

**N° 136/16**

**Pedro Juan Caballero, 07 de agosto de 2.017**

**Abog. Luis Alberto Benítez Noguera**
**Presidente del Consejo de Administración**
**Circunscripción Judicial de Amambay**
**Presente:**

**EL JEFE DE PATRIMONIO Y SUMINISTRO DE LA CIRCUNCRIPCION JUDICIAL DE AMAMBAY**, tiene el honor de dirigirse a V.E.; y por su intermedio a los demás Miembros, teniendo en cuenta la Providencia dictada por la Presidencia del Consejo de Administración de fecha 07 de julio de 2.017, por el cual se solicita que esta Sección se expida sobre la solicitud de cambio de marca del Ítem N° 4, CAMARA MOVIL, marca: DAHUA, por otro con similar características de la marca: HIKVISION y del ítem N° 5, CONTROLADOR DE CAMARA de la marca: DAHUA, por otro con similar características de la marca: HIKVISION, analizando las especificaciones técnicas de estos bienes, considero que son de calidad superior y cumple con las especificaciones técnicas de los bienes adjudicados y por lo tanto no habría impedimentos para aceptar el cambio de las marcas.

Para los fines pertinentes se anexa las especificaciones técnicas de los bienes que se han solicitado el cambio de marcas.

Sin otro particular salúdole atentamente.
**DIOS GUARDE a V.E.-**

PODER JUDICIAL • Circunscripción Judicial de Amambay • PATRIMONIO Y SUMINISTRO

Heriberto Ramón Cárdenas
Jefe de Patrimonio y Suministro

**A. S. E.**
**ABOG. LUIS ALBERTO BENITEZ NOGUERA**
**PRESIDENTE DEL CONSEJO DE ADMINISTRACION DE LA CIRCUNCRIPCIÓN JUDICIAL DE AMAMBAY**
**E. S. D.**

PRESENTADO CONFORME

PRESENTADO Y PUESTO AL CONSEJO DE ADMINISTRACION HOY lunes
siete DEL MES DE agosto DEL AÑO MIL
diecisiete SIENDO LAS doce cincuenta HORAS
CONSTE.- 570

Ana Liz Gaulo Romero
Auxiliar

HIKVISION

# DS-1005KI USB Keyboard



## Overview

DS-1005KI is a USB keyboard independently developed by Hikvision and it can be accessed directly by the client software, platform software of iVMS series, DVR and PC-DVR, and can realize functions such as windows switching, PTZ control, picture capture, recording and etc..

DS-1005KI is compatible with the USB joystick via USB HID protocol, and can access to the third-party platform software. It provides amply programmable buttons for setting custom function and has the advantage of simple interface and easy operation. The product can be widely applied in fields such as finance, transportation, telecommunication, education, water conservancy, and public security and so on.

## Available Models

DS-1005KI

## Key Features

- Power supply and communication by USB port directly.
- 3D PTZ control and 2 joystick control buttons.
- Up to 15 programmable buttons are available.
- Support digital tube to display the input content.
- Support indicators to show the operation status of keyboard.
- Compatible with a various kinds of client software and platform software.
- Support USB HID protocol.

## Typical Application




## Specifications

| Model | DS-1005KI |
|---|---|
| Compatible System | Window XP/7/8/8.1 |
| Interface Type | USB 2.0, DirectX |
| Control | Joystick (3-axis control, rotating zoom) |
| Dimensions | 167*177.5*116(mm) |
| Operating Temperature | -10 °C ~+55 °C |
| Operating Humidity | 10% ~ 90% (Non-condensing) |
| Power Supply | 5V DC via USB |
| Consumption | ≤ 5W |

Heriberto Ramón Cárdenas
Jefe de Patrimonio y Suministro

© 2014 by HIKVISION. All rights reserved.

HIKVISION

# DS-2CE56C0T-IRMM
## HD720P Indoor IR Dome Camera






### Key Features

- 1 Megapixel high-performance CMOS
- Analog HD output, up to 720P resolution
- True Day/Night
- DNR, Smart IR
- Up to 20m IR distance

PODER JUDICIAL
PATRIMONIO Y SUMINISTRO

Heriberto Ramón Cardenas
Jefe de Patrimonio y Suministro

## Specifications

| | |
|---|---|
| *Camera* | |
| Image Sensor | 1MP CMOS Image Sensor |
| Signal System | PAL/NTSC |
| Effective Pixels | 1296(H)*732(V) |
| Min. Illumination | 0.1 Lux @ (F1.2,AGC ON),0 Lux with IR |
| Shutter Time | 1/25(1/30)s to 1/50,000s |
| Lens | 2.8mm, 3.6mm, 6mm optional<br>Angle of View: 70.9°(3.6mm), 92°(2.8mm), 56.7°(6mm) |
| Lens Mount | M12 |
| Day & Night | ICR |
| Angle Adjustment | Pan: 0 - 350°, Tilt: 0 - 70°, Rotation: 0 - 350° |
| Synchronization | Internal synchronization |
| Video Frame Rate | 720p@25fps/720p@30fps |
| HD Video Output | 1 Analog HD output |
| S/N Ratio | >62dB |
| *General* | |
| Operating Conditions | -20 °C - 45 °C (-4 °F - 113 °F), Humidity 90% or less (non-condensing) |
| Power Supply | 12 VDC±15% |
| Power Consumption | Max. 4W |
| IR Range | Up to 20m |
| Dimensions | Φ98 x 65.4 mm (ϕ 3.86" x 2.57") |
| Weight | 240 g |

## Order Models

DS-2CE56C0T-IRMM

PODER JUDICIAL
PATRIMONIO Y SUMINISTRO

Heriberto Ramón Cárdenas
Jefe de Patrimonio y Suministro

## Dimensions




## Accessories

DS-1H18

Video Balun

X41T

Camera Tester

PODER JUDICIAL
Heriberto Ramon Cárdenas
Jefe de Patrimonio y Suministro

Distributed by

**Headquarters**
No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

**Hikvision Poland**
T +48-22-460-01-50
poland@hikvision.com

**Hikvision USA**
T +1-909-895-0400
sales.usa@hikvision.com

**Hikvision India**
T +91-22-2846-9900
sales@pramahikvision.com

**Hikvision UK**
T +44-1628-902104
support.uk@hikvision.com

**Hikvision Europe**
T +31-23-5542770
saleseuro@hikvision.com

**Hikvision Italy**
T +39-0438-6902
info.it@hikvision.com

**Hikvision Singapore**
T +65-6684-4718
sg@hikvision.com

**Hikvision Middle East**
T +971-4-8816086
salesme@hikvision.com

**Hikvision France**
T +33(0)1-85-330-444
info.fr@hikvision.com

**Hikvision Oceania**
T +61-2-8599-4233
salesau@hikvision.com

**Hikvision Russia**
T +7-495-669-67-99
saleru@hikvision.com

**Hikvision Spain**
T +34-91-737-16-55
info.es@hikvision.com

**Hikvision Hong Kong**
T +852-2151-1761

© Hikvision Digital Technology Co., Ltd. 2015 | Data subject to change without notice | **20150918**