
P1
P2
AA
AB

Elemento	Pos.	Diám.	No.	Long. (cm)	Total (cm)	B 400 S, Cd (kg)
Pilares	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
					[illegible]	[illegible]
					[illegible]	[illegible]
					[illegible]	[illegible]
					[illegible]	[illegible]



Pos.	Diám.	No.	Long. (cm)	Total (cm)	x ℓ (cm)
1	ø12	10	748	7480	14960
2	ø12	10	76	760	1520
3	8	124	160	19840	39400

Pilares que terminan en
Vigas D1
Hormigón: HA-25, Control Estadístico
Acero: B 400 S, Control Normal
Escala: 1:50

Resumen Acero Vigas D1 Pilares	Long. total (m)	Peso+10% (kg)	Total
B 400 S, Cd +6	[illegible]	[illegible]	
+12	[illegible]	181	[illegible]

[illegible]	[illegible]	[illegible]
[illegible]		
[illegible]		
[illegible]		
[illegible]		
[illegible]	[illegible]	
[illegible]	[illegible]	



Planta - esc. 1:50



Fachada Lateral Izquierda - esc. 1:50



Fachada Frontal - esc. 1:50



Corte A-A' - esc. 1:50



Detalles Metricos - esc. 1:50



Axonometria - esc. 1:50



Detalle Geometrico Constructivo - esc. 1:50