


Detalle Armadura Alcantarilla 150x150




RELACION DE ACERO					
ACERO	N	DIAM.	CANT.	UNIT (cm)	C. TOTAL (cm)
50A	2-5	6.0	72	100	7200
	3	10.0	14	175	2450
	4	10.0	16	120	1920
	6-7	10.0	28	95	2660
	8	10.0	13	275	3575
	9	10.0	32	200	7400
	10	10.0	60	25	1500
			14	85	1190


ACERO	DIAM.	C. TOTAL (m)	PESD+10% (kgf)
CASOA	6.0	72.0	20
CASOA	10.0	206.95	127
PESD TOTAL			
CASOA		111 kgf	

Vol. hormigon total = 1.11 m3 p/m

Hormigon Tipo B



Encofrado Alcantarilla
Celular de 150 x 150
ESC 1:50



MUNICIPALIDAD DE ASUNCIÓN				
Mario Aníbal Ferreiro Sanabria				
Intendente				
Ing. Samuel Gozález, Director General Dirección General de Obras		Ing. Antoliano Benítez, Director Dirección de Obras Municipales		
DESAGÜE PLUVIAL ACCESO BAÑADO SUR (CARACOLITO) PLANO GENERAL				
PROYECTADO:	REVISADO:	APROBADO:		ENERO 2016 LÁMINA 13
FECHA:	FECHA:	FECHA:		

